동물용의약품

헤모젠 주사는 기존 덱스트란철 성분의 제제와는 달리 고농도의 철분을 지속성 킬레이트기제에 결합시켜 단 1회의 주사만으로도 신생자돈의 생리적 빈혈뿐만 아니라 이유 후 나타날 수 있는 철분결핍성 빈혈로 인한 위축, 허약, 질병발생을 미연에 방지해 줄 목적으로 개발된 신개념의 지속성 주사용 철분제입니다.

■원료약품 및 분량(제품 1mL중)

- Complex of ferric hydroxide and dextran glucoheptonic acid(별규1) Fe	로서 2	:00mg
- 페놀(Phenol, KV8)		5mg
- 주사용수(water for injection, KV8)		- 적류

■효능 및 효과

- 자돈의 철분결핍성 빈혈의 예방과 치료

■용법 및 용량

- 빈혈 예방시 : 출생 후 3일이내에 마리당 1mL씩 근육주사 - 빈혈 치료시 : 빈혈증상이 나타날 때 마리당 1mL씩 근육주사

■저장방법 및 유효기간

- 저장방법: 25℃ 이하의 어두운 곳에 보관하십시오.

- 유효기간: 제조일로부터 24개월

■주의사항

- 휴약기간 : 없음
- 수의사의 지시에 따라 사용하십시오.
- 동물용으로만 사용하십시오.
- 어린이의 손이 닿지 않는 곳에 보관하십시오.
- 개봉한 제품은 28일내에 사용하십시오.

■포장단위

- 100ml





Veterinary Use Only

Long-Acting Fe injection HEMOGEN (Injection)

■Description

HemoGen injection is high potential long acting iron injection, preventing early newborn piglet anemia as well as iron deficiency anemia in piglets. HemoGen injection maintains high concentration level of hemoglobin in blood at least for 8 weeks even only one shot at 3 days of age.

■Composition

- Each mL contains 200mg(as iron) Complex of ferric hydroxide and dextran glucoheptonic acid, 5mg Phenol

■Indications

- For prevention and treatment of iron deficiency anemia in piglets

■ Dosage and Administration

Administer an intramuscular injection

- Prevention of anemia: 1 mL within 3 days from birth
- Treatment of anemia: 1 mL at the first signs of anemia

■Cautions

- Use on the order of licensed veterinarian.
- Use the animal only.
- Keep out of reach of children.
- Use all within 28days, after opening the product.
- Store in a room temperature(below 25°C) and dark place.

■Package

- 100ml



